



Specification

Brand				
Name	X86 computer All in one			
Display	Screen Size	15.6 inch		
	Screen Resolution	1920*1080		
	Luminous	300 cd/m2		
	Color Quantitis	16.7M		
	Contrast	800:1		
	Visual Range	85/85/85/85 (Typ.)(CR≥10)		
	Display Size	344.16(W)×193.59(H) mm		
Touch parameter	Reaction Type	Electric capacity reaction		
	Lifetime	More than 50 million times		
	Surface Hardness	> 7H		
	Effective Touch Strength	45g		
	Glass Type	Chemical reinforced perspex		
	Luminousness	> 85%		
Hardware	MAINBOARD MODEL	J4125	I3-8145U	I5-8265U
	CPU	Integrated Intel®Celeron J4125 2.0GHz quad-core	Integrated Intel®Core i3-8145U dual-core four-thread 2.1GHz (maximum 3.9GHz)	Integrated Intel®Core i5-8265U quad-core eight-thread 1.6GHz (maximum 3.9GHz)
	GPU	Integrated Intel®UHD Graphics 600 core card	Integrated Intel®UHD Graphics 520/620/630	Integrated Intel®UHD Graphics 10th genneration core graphics card
	Memory	4G (maximum 16GB)	8G (maximum 16GB)	8G (maximum 16GB)
	Harddisk	64G solid state disk (128G replacement available)	128G solid state disk	128G solid state disk
	Operate system	Default Windows 10 (Windows 11/Linux/Ubuntu replacement available)	Default Windows 10 (Windows 11/Linux/Ubuntu replacement available)	Default Windows 10 (Windows 11/Linux/Ubuntu replacement avaivable)
	Audio	ALC888/ALC662 6 channels Hi-Fi Audio controller/Supporting MIC-in/Line-out	ALC897 7.1 on board/Supporting MIC-in/Line-out	ALC897 7.1channels Hi-Fi Audio controller on board/supporting MIC/Line-out
	Network	Integrated giga network card	Integrated giga network card	Integrated giga network card
	Wifi	Internal wifi antenna,supporting wireless connect	Internal wifi antenna,supporting wireless connect	Internal wifi antenna,supporting wireless connect
Interfaces	DC Port 1	1*DC12V/5525 socket		
	DC Port 2	1*DC9V-36V/5.08mm phonix 4 pin		
	USB	2*USB3.0, 1*USB 2.0		
	Serial-Interface RS232	0*COM (upgrade able)		
	Ethernet	2*RJ45 giga ethernet		
	VGA	1*VGA		
	HDMI	1*HDMI OUT		
	WIFI	1*WIFI antenna		
	Bluetooth	1*Bluetooch antenna		
	Audio imput	1* earphone Interfaces		
	Audio output	1*MIC Interfaces		
	Material	CNC aluminum oxgenated drawing craft for the front surface frame		
Parameter	Color	Black		
	Power adapter	AC 100-240V 50/60Hz CCC certificated、CE certificated		

	Power dissipation	≈20W
	Power output	DC12V / 5A
Other parameter	Backlight lifetime	50000h
	Temperature	Working: -10°~60°; storage-20°~70°
	Install	Embedded snap-fit
	Guarantee	Whole computer free for maintain in 1 year
	Maintenance terms	Three guarantee: 1guarantee repair,2guarantee replacement,3guarantee sales return.Mail for maintain
Packing list	N.W.	4.5KG
	Product size (not in cluding brack)	414*270*60.5mm
	Range for embedded trepanning	396*252mm
	Carton size	500*355*125mm
	Power adapter	Available for purchase
	Power line	Available for purchase
	Parts for install	Embedded snap-fit * 4, PM4x30 screw * 4
Engineering dimension drawing		

**Pictures if
real
product**

